(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 28 April 2005 (28.04.2005)

PCT

(10) International Publication Number WO 2005/038985 A3

H01R 13/03, (51) International Patent Classification7: 39/20, 41/00, C23C 30/00

(21) International Application Number:

PCT/IB2004/003390

(22) International Filing Date: 18 October 2004 (18.10.2004)

(25) Filing Language:

(26) Publication Language:

English

(30) Priority Data:

60/511,424 60/511,430 16 October 2003 (16.10.2003) US 16 October 2003 (16.10.2003)

(71) Applicant (for all designated States except US): ABB RE-SEARCH LTD. [CH/CH]; Affolternstrasse 52, CH-8050 Zürich (CH).


(72) Inventors; and

(75) Inventors/Applicants (for US only): ISBERG, Peter [SE/SE]; Lindskärsv. 15, S-725 92 Västerås (SE). EKLUND, Per [SE/SE]; Sandgatan 12B, S-582 35 Linköping (SE). EMMERLICH, Jens [SE/SE]; Rydsvägen 246A 21, S-584 34 Linköping (SE). HULTMAN, Lars [SE/SE]; Uvebergsvägen 20, S-589 31 Linköping (SE). HÖGBERG, Hans [SE/SE]; Banérgatan 13, S-582 32 Linköping (SE). LJUNGCRANTZ, Henrik [SE/SE]; Kobergsgränd 4, S-587 21 Linköping (SE).

- (74) Agent: ABB, AB; Legal & Compliance/Intellectual Property, Forskargränd 8, S-72178 Västerås (SE).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,

[Continued on next page]

(54) Title: COATINGS OF Mn+1AXn MATERIAL FOR ELECTRICAL CONTACT ELEMENTS



(57) Abstract: An element for making an electric contact to a contact member (5, 15, 19, 41) for enabling an electric current to flow between said element and said contact member, said element (3,14, 42) comprising a body (6) having at least a contact surface (2, 4, 16, 43, 44) thereof coated with a contact layer applied against The contact said contact member. layer comprises a film comprising a multielement material with equal or similar composition as any of a layered carbide or nitride that can be described as $M_{n+1}AX_n$, where M is a transition metal or a combina tion of a transition metals, n is 1, 2, 3 or higher, A is an group A element or a combination of a group A element, element and X is Carbon, Nitrogen or both.



TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, zw

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- with amended claims
- (88) Date of publication of the international search report: 16 June 2005

Date of publication of the amended claims: 28 July 2005

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 28 April 2005 (28.04.2005)

PCT

(10) International Publication Number WO 2005/038985 A3

H01R 13/03, (51) International Patent Classification7: 39/20, 41/00, C23C 30/00

(21) International Application Number:

PCT/IB2004/003390

(22) International Filing Date: 18 October 2004 (18.10.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

16 October 2003 (16.10.2003) 60/511,424 US 16 October 2003 (16.10.2003) 60/511,430

(71) Applicant (for all designated States except US): ABB RE-SEARCH LTD. [CH/CH]; Affolternstrasse 52, CH-8050 Zürich (CH).


(72) Inventors; and

(75) Inventors/Applicants (for US only): ISBERG, Peter [SE/SE]; Lindskärsv. 15, S-725 92 Västerås (SE). EKLUND, Per [SE/SE]; Sandgatan 12B, S-582 35 Linköping (SE). EMMERLICH, Jens [SE/SE]; Rydsvägen 246A 21, S-584 34 Linköping (SE). HULTMAN, Lars [SE/SE]; Uvebergsvägen 20, S-589 31 Linköping (SE). HÖGBERG, Hans [SE/SE]; Banérgatan 13, S-582 32 Linköping (SE). LJUNGCRANTZ, Henrik [SE/SE]; Kobergsgränd 4, S-587 21 Linköping (SE).

- (74) Agent: ABB, AB; Legal & Compliance/Intellectual Property, Forskargränd 8, S-72178 Västerås (SE).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,

[Continued on next page]

(54) Title: COATINGS OF Mn+1AXn MATERIAL FOR ELECTRICAL CONTACT ELEMENTS



(57) Abstract: An element for making an electric contact to a contact member (5, 15, 19, 41) for enabling an electric current to flow between said element and said contact member, said element (3,14, 42) comprising a body (6) having at least a contact surface (2, 4, 16, 43, 44) thereof coated with a contact layer applied against said contact member. The contact layer comprises a film comprising a multielement material with equal or similar composition as any of a layered carbide or nitride that can be described as M₀₊₁AX₀, where M is a transition metal or a combination of a transition metals, n is 1, 2, 3 or higher, A is an group A element or a combination of a group A element, element and X is Carbon, Nitrogen or both.





FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.